

MARTOR®








MARTOR®

Solingen

The MARTOR Blade Range

Blade-Index

	Page		Page
TiN-coated Blades	8 – 9		26
Safety Blades (points dull or blunt-ended)	10		27
	11 – 13		28
Hook Blades	14		29
	15		30 – 31
Single Edge Razor Blades	16		32 – 33
	17		33
Industrial Cutter Blades	18 – 20		34
	21		35
Scapel Blades	22 – 23		36 – 39
	24		40 – 42
	24		43
	25		44 – 47

Listing of Contents

in numerical order

Art.-No.	Page
10	22
101	32
102	32
1025	23
103	32
1031	22
104	32
1044	16, 17
105	32
106	32
107	32
108	32
11	22
1103	32, 42
111	32
112	32
113	32
114	33
115	33
119	33
12	22
125	23, 42
13	22
13510	17, 19, 41
13610	19, 41
13615	19, 41
13630	19, 41
13730	19, 41
14	22
142	13, 42
144	16, 17, 40
145	36, 40
149	16, 40
15	22
150	35
151	35
152	35
153	35
154	35
155	35
156	35
157	35
158	35
16	22
160	35
161	35
16412	21, 4
165	18, 40
17	22
170	10, 30
1703	36, 40
1709	18, 40
171	10, 30

Art.-No.	Page
179	24, 42
17940	24, 37, 41
18	22, 42
180	18, 40
189	20, 41
19	22
196	17, 42
199	11, 41
20	22, 42
21	22
22	23
23	23
24	23
25	23
26	27
27	27
2733	27
28	27
284	31
29	27
291	37
30	27
31	27
32	37
33	26
34	31
35010	17, 19
35020	19
35030	19
36	23
36010	19
36013	19
36015	19
36020	19
36030	19
36040	19
37010	19
37020	17, 19
37030	19
37040	19
38	39
39	38
40	38
41	11
42045	13
42063	13
43	26
44	16, 17
45	36
46	36
47020	17
47040	17
48	18

Art.-No.	Page
49	16
50	11
51	12
5132	12
52	11
5232	11
5233	11
53	13
54	12
54045	12
54065	12
55	14
56	14
5634	10, 14
57	14
58	14
58050	14
58065	14
60	14
60044	10, 16, 17
60099	10, 11
601	30
602	30
604	30
605	31
606	10, 31
607	12
608	12
609	11
61	12
610	11, 40
611	12
612	13
6132	12
61329	12
614	13
615	28
616	26
618	28
619	28
62	33
622	28
623	28
624	28
625	28
626	28
628	28
629	10, 31
63	14
635	29
636	29
637	29
638	29

Listing of Contents

in numerical order

Art.-No.	Page
639	29
640	29
64044	21
64060	21
64080	21
641	29
64100	21
64120	21
64150	21
642	29
643	38
65	18
65232	10, 11
66	36
6604	30
67	20
670	25
671	25
672	25
673	25
674	31, 41
675	38
676	38
677	25
678	25
679	25
680	25
68010	20
68020	20
681	25
682	25
683	25
684	38
689	20, 41
69040	10, 18
69200	18
692	36
693	38
694	39
696	17, 42
697	28
698	28
699	28
70	36
702	37, 41
704	37, 41
709	18
71	24
710	18
711	18
712	18
716	15, 42
72	26

Art.-No.	Page
725	15
726	36, 40
727	15, 42
73	26
736	37
740	34
743	16
746	37
752	13
753	38
754	36
756	30
76	24
760	39
761	39
763	34
767	34
768	34
769	34
77	24
770	38
771	38
772	18
773	34
774	34
776	24
777	34
779	24
78	11
784	38
789	18, 40
79	24
791	30
793	37
794	37
7940	24, 37
795	30
796	30
797	30
798	30
799	30
80	36
81	20
82	13, 42
827	9, 27
83	31
834	9, 31
83515	8, 19, 41
83615	8, 19, 41
83630	8, 19, 41
83715	8, 19, 41
83730	8, 19, 41
84	31








Art.-No.	Page
8432	31
852	8, 11, 40
85233	8, 11
86	24
8605	9, 31
8606	9, 10, 31
8629	9, 10, 31
869	8, 18
87	24
878	8, 11
8784	9, 38
8852	8, 11
88720	43
88721	43
88722	43
88723	43
88724	43
88725	43
88740	42, 43
88741	42, 43
889	8, 20, 41
89	20
90	32
900	35
91	37
95	37
96	17
97	36
98	14
99	11

TiN-coated Blades

"TiN"-coated Blade edges are produced by way of the Physical Vapour Deposition Process (PVD) designed to provide cutter blades with such advantages as:

- **INCREASED** tool life
- **INCREASED** cutting speed rates
- **SUBSTANTIAL** Cost Savings.







The use of Platinum "TiN"-coated MARTOR Blades has proved to result in considerable productivity upgradings along with drastic savings in production costs due to reduced machine downtimes.

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ALLFIT trapezoid blade, TiN		0.63	alloyed carbon steel, TiN-coated	8852
		0.63	stainless, TiN-coated	852
		0.63	single bevel edge-ground, alloyed carbon steel, TiN-coated	85233
CELLO- Blade, TiN		0.40	alloyed carbon steel, TiN-coated	869
FIX- Blade, TiN		0.45	alloyed carbon steel, TiN-coated	878
Industrial cutter blade, Gillette-slotted, TiN		0.15	stainless, TiN-coated	83515
Industrial cutter blade with round ends, TiN		0.15	stainless, TiN-coated	83615
		0.30	stainless, TiN-coated	83630
Industrial cutter blade with square ends, TiN		0.15	stainless, TiN-coated	83715
		0.30	stainless, TiN-coated	83730
INJEKTOR- Blade, TiN		0.25	stainless, TiN-coated	889

All dimensions are approximate data!










* Material Thickness

TiN-coated Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
MINI-Blade, TiN		0.63	alloyed carbon steel, TiN-coated	827
RASTER- Blade, TiN		0.63	screen paper cutter blade, alloyed carbon steel, TiN-coated	8784
SIMPEL- Blade, TiN		0.50	alloyed carbon steel, TiN-coated	834
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8629
SIMPLEX- Blade, TiN		0.50	alloyed carbon steel, TiN-coated	8605
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8606

Safety Blades (points dull or blunt-ended)











These blades provide for greater safety in that their points feature dull or blunt-ended tips. Designed to reduce the incidence of stab wounds.

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ALLFIT hook blade		0.63	blunt-ended	5634 (56T)
ALLFIT trapezoid blade		0.63	deep-edged with dull tips	65232
ARGENTAX-Blade		0.30	with dull tips	60044
CELLO-Blade		0.40	with dull tips	69040
CERAMIC-Blade		1.70	Ceramic, semi-curved blade	170
		1.70	Ceramic, concave-edged blade	171
MAXISAFE trapezoid blade		0.63	deep-edged, blunt-ended	60099
SIMPEL-Blade		0.50	with dull tip	629
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8629
SIMPLEX-Blade		0.50	with dull tip	606
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8606

All dimensions are approximate data!

* Material Thickness











Trapezoid Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ALLFIT trapezoid blade		0.30		50
		0.63		52
		0.63	alloyed carbon steel, TiN-coated	8852
		0.63	stainless	610
		0.63	stainless, TiN-coated	852
		0.63	single bevel edge-ground,  alloyed carbon steel	5233 (52E)
		0.63	single bevel edge-ground,  alloyed carbon steel, TiN-coated	85233
		0.63	deep-edged	5232 (52BR)
		0.63	deep-edged with dull tips	65232
FIX- Blade		0.45		78
		0.45	alloyed carbon steel, TiN-coated	878
LEWIS- Blade		0.63		41
MAXISAFE trapezoid blade		0.63	deep-edged	99
		0.63	deep-edged, stainless	199
		0.63	deep-edged, blunt-ended	60099
MEGASAFE trapezoid blade		0.30		609

All dimensions are approximate data!

* Material Thickness








Trapezoid Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
SOLO-Blade		0.63		607
STANDARD trapezoid blade		0.63		51
		0.63	deep-edged	5132 (51BR)
STRIPEX-Blade		0.20		611
STUDIO-Blade		0.50		608
Super-trapezoid-blade		0.63		61
		0.63	deep-edged	6132
		0.90	deep-edged	61329
TEKLI super-trapezoid blade		0.63	carbon steel	54 (S)
TEKLI trapezoid blade		0.45	carbon steel	54045
		0.63	carbon steel	54065

All dimensions are approximate data!

* Material Thickness

Trapezoid Blades










Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
TEPPIX-Blade		0.50		612
		0.63	single bevel edge-ground 	614
TEXTIL-Blade		0.40	stainless	82
Trapezoid Blade		0.65	triple edge ground	752
UNI-Blade		0.45	deep-edged	42045
		0.63	deep-edged	42063
		0.45	deep-edged, stainless	142
WOLFRAM trapezoid blade		0.63	Tungsten alloyed blade	53



All dimensions are approximate data!

* Material Thickness





Hook Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ALLFIT hook blade		0.63		56
		0.63	blunt-ended	5634 (56T)
LUNA-Blade		0.63		60
MAXISAFE hook blade		0.63		98
STANDARD hook blade		0.63		55
Super-hook blade		0.63		63
TEKLI hook blade		0.50	carbon steel	58050
		0.63	carbon steel	58065
TEKLI-super hook blade		0.63	carbon steel	58 (S)
WOLFRAM-hook blade		0.63	Tungsten alloyed blade	57

All dimensions are approximate data!


* Material Thickness

Rotary Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Rotary Blade		0.30	stainless, single bevel edge-ground,  center hole dia 6 mm	716
		0.60	alloyed carbon steel, center hole dia 6 mm (designed for use in original MARTOR cutters only!)	725
		0.30	stainless, center hole dia 6 mm (designed for use in original MARTOR cutters only!)	727










All dimensions are approximate data!



* Material Thickness

Single Edge Razor Blades











Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ARGENTAX-Blade		0.25		1044
		0.25	stainless	144
		0.30		44
		0.30	with dull tips	60044
EFFILIER-Blade		0.25	thinning blade	49
		0.25	thinning blade , stainless	149
Single Edge Razor Blade		0.30		743



All dimensions are approximate data!

* Material Thickness












Scraper Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ARGENTAX-Blade		0.25		1044
		0.25	stainless	144
		0.30		44
		0.30	with dull tips	60044
Industrial cutter blade, Gillette-slotted		0.10		35010
		0.10	stainless, Teflon®-coated, with platinumized cutter edges	13510
Industrial cutter blade with square ends		0.20		37020
MARTELL-Blade		0.20		47020
		0.40	deep-edged	47040 (47BR)
SCHABER-Blade		0.40	scraper blade	96
		0.40	scraper blade, stainless	196
		0.50	scraper blade, stainless	696

All dimensions are approximate data!

* Material Thickness






Industrial Cutter Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
AUTOSTROP- Blade		0.30	without edge protector	65
		0.25	without edge protector, stainless	165
CELLO- Blade		0.20		69200
		0.40	alloyed carbon steel, TiN-coated	869
		0.40	with dull tips	69040
DOPPEL- INJEKTOR- Blade		0.25	stainless	789
FIBERGLASS- Blade		0.25		709
		0.25	stainless	1709
		0.65		710
		0.25		711
		0.30		712
HOBEL- Blade		0.30		48
Horny skin planer blade		0.13	for use in industry	772
Industrial cutter blade		0.10	with 6 notches, stainless	180

All dimensions are approximate data!

* Material Thickness






Industrial Cutter Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.	
Industrial cutter blade, Gillette-slotted		0.10		35010	
		0.20		35020	
		0.30		35030	
		0.10	stainless, Teflon® -coated, with platinumized cutter edges	13510	
		0.15	stainless, TiN-coated	83515	
Industrial cutter blade with round ends		0.10		36010	
		0.13		36013	
		0.15		36015	
		0.20		36020	
		0.30		36030	
		0.10	stainless	13610	
		0.15	stainless	13615	
		0.30	stainless	13630	
		0.15	stainless, TiN-coated	83615	
	0.30	stainless, TiN-coated	83630		
		0.40	alloyed carbon steel, deep-edged	36040 (36BR)	
	Industrial cutter blade with square ends		0.10		37010
			0.20		37020
0.30				37030	
0.30			stainless	13730	
0.15			stainless, TiN-coated	83715	
0.30		stainless, TiN-coated	83730		
		0.40	alloyed carbon steel, deep-edged	37040 (37BR)	

All dimensions are approximate data!

* Material Thickness

Industrial Cutter Blades








Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Industrial cutter blade with square ends		0.10	short	68010
		0.20	short	68020
INJEKTOR-Blade		0.25		89
		0.25	stainless	189
		0.25	stainless, TiN-coated	889
		0.25	stainless	689
KÜRSCHNER-Blade		0.20	diagonally-split, for furrier's knife	67
Y-Blade		0.30	for textile fabrics	81
















All dimensions are approximate data!

* Material Thickness

Glass Cleaning Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
GLASHOBEL-Blade		0.20	rust and acid resistant	64044
		0.20	rust and acid resistant	64060
		0.20	rust and acid resistant	64080
		0.20	rust and acid resistant	64100
		0.20	rust and acid resistant	64120
		0.20	rust and acid resistant	64150
		0.15	stainless	16412







Scalpel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
Scalpel blade, small		0.40		1031 (10a SC)
		0.40		10 (10 SC)
		0.40		11 (11 SC)
		0.40		12 (12 SC)
		0.40		13 (13 SC)
		0.40		14 (14 SC)
		0.40		15 (15 SC)
		0.40		16 (16 SC)
		0.40		17 (17 SC)
Scalpel blade, large		0.40	stainless	18 (18 SC)
		0.40		19 (19 SC)
		0.40	stainless	20
		0.40		21

All dimensions are approximate data!

* Material Thickness

Scalpel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Scalpel blade, large		0.40		22
		0.40		23
		0.40		24
		0.40		25
		0.40	stainless	125
		0.40		36 (36 SC)
	0.40		1025 (25 L)	







All dimensions are approximate data!






* Material Thickness














Blades for Polystyrene

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Profi40-Blade		0.50		7940
		0.50	stainless	17940
SCHAUMEX-Blade		0.30		87
STYROPOR-Blade 9 mm		0.40		86
STYROPOR-Blade 18 mm		0.50		79
		0.50	stainless	179
		0.50		779






Snap-Off Blades


CUTTER-Blade 9 mm		0.40		76
		0.40		776
CUTTER-Blade 18 mm		0.50		77
TECHNICUT-Blade 6 mm		0.40		71

Grafix-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
GRAFIX- Blade	 I Ø2.4 37	0.93	single bevel edge-ground 	670
	 I Ø2.4 38	0.80	single bevel edge-ground 	671
	 I Ø2.4 37	0.80	double bevel edge-ground	672
GRAFIX- Needle	 I Ø2 25			673
GRAFIX- Blade	 T 6.1 37	0.50		677
	 T 10.8 42	0.50		678
	 T 7 32	0.50		679
	 T 6.1 38	0.50		680
	 T 6 34	0.50	single bevel edge-ground 	681
	 T 7.9 35	0.50		682
GRAFIX blade set		0.50	made up of one each No. 670-673 + 677-682	683

Boy-Blades









Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
BOY-Blade		0.50		72
		0.50		73
BOY saw blade		0.25		616
CUTTOFIX-Blade		0.50		33
ELECTRONIC-Blade		0.40		43
















All dimensions are approximate data!

* Material Thickness

Mini-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
MINI- Blade		0.63		27
		0.63	single bevel edge-ground 	2733 (27E)
		0.63	alloyed carbon steel, TiN-coated	827
		0.63		28
		0.65		29
		0.63	with double-sided cutting edge	30
		0.63		31
MINI- blade set		0.63	made up of one each No. 27, 28, 29, 30	26









Rondex-Massiv-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Keyhole-Saw		0.50		615
RONDEX drawcut blade				697
				698
				699
RONDEX-MASSIV-Blade		0.63	single bevel edge-ground,  for deep across-grain cuts	618
		0.63	to cut small wood shavings	619
		0.65	for continuous cuts	622
		0.65	for exact cuts and wood carving work in narrow spaces	623
		0.63	for acute-angled cuts	624
		0.65	for complicated cutting work	625
		0.63	extra-long edge	626
		0.63	to cut thick wood shavings	628

All dimensions are approximate data!

* Material Thickness














Solo-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
SOLO-Blade		0.63		635
		0.63		636
		0.63		637
		0.63		638
		0.63		639
		0.63		640
		0.63		641
		0.63		642

All dimensions are approximate data!

* Material Thickness










Deburring-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
CERAMIC-Blade		1.70	Ceramic, semi-curved blade	170
		1.70	Ceramic, concave-edged blade	171
CURVEX-Deburring Blade		Ø 2.5		791
		Ø 2.5	for right- and lefthanders	795
		Ø 2.5		796
		Ø 3.2	large, extra-fine	756
		Ø 3.2	large	797
		Ø 3.2	large	798
		Ø 3.2	large	799
FORTEX-Blade		0.80		601
		0.80		602
		0.80		604
		0.80	with dull tip	6604

All dimensions are approximate data!

* Material Thickness

Deburring-Blades













Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
PELLEX-Deburring Blade			stainless	674
SIMPEL-Blade		0.50		34
		0.50	alloyed carbon steel, TiN-coated	834
		0.50	with dull tip	629
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8629
SIMPLEX-Blade		0.50		605
		0.50	alloyed carbon steel, TiN-coated	8605
		0.50	with dull tip	606
		0.50	with dull tip, alloyed carbon steel, TiN-coated	8606
TRIMMEX-Blade		1.00	long version	83
		1.00	short version for righthanders	84
		1.00	short version for righthanders, deep-edged	8432
		1.00	short version for lefthanders	284



All dimensions are approximate data!

* Material Thickness




Sicuri-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
Saw blade set		0.90	for wood and metal	90
SICURI- Blade		0.80		101
SICURI- Blade		0.80		102
SICURI- Blade		0.80		103
		0.80	stainless	1103 (3R)
SICURI- Blade		0.80		104
SICURI- Blade		0.80	straight	105
SICURI- Blade		0.80	straight	106
SICURI- Blade		0.80	serrated edge finish	107
SICURI- Blade		0.80	teeth-edged for use in veneering	108
SICURI- Deburring Blade		0.80		111
		0.80		112
		0.80		113



All dimensions are approximate data!

* Material Thickness

Sicuri-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
SICURI-Deburring Blade		0.80		114
SICURI-Deburring Blade		0.80	straight	115
SICURI-Acryl-Blade		0.80	for Universal-, Spezial- and Flipcut	119









Acryl cutting blades

ACRYL-Blade		0.80	= SICURI-Blade for Universal-, Spezial- and Flipcut	119
DURO-Blade		0.50		62

All dimensions are approximate data!

* Material Thickness













Teeth-edged Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
EINNUT-Blade		1.60	single-slot, single edge serration	740
Teeth-edged blade		0.50	single edge serration	763
		0.50	single edge serration	767
		0.50	single edge serration	768
		0.50	single edge serration	769
		1.50	single edge serration	773
		1.50	single edge serration	774
		0.50	single edge serration	777

All dimensions are approximate data!

* Material Thickness











Robust-Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ROBUST-Blade		1.80	heavy duty blade	150
		1.80	heavy duty blade	151
		1.80	heavy duty blade	152
		1.80	heavy duty blade	153
		1.80	heavy duty blade, single bevel edge-ground	154
		1.80	heavy duty blade	155
		1.80	heavy duty blade	156
		1.80	heavy duty blade	157
		1.80	heavy duty blade, single bevel edge-ground	158
		1.80	heavy duty blade, single bevel edge-ground	160
		1.80	heavy duty blade, single bevel edge-ground	161
Sharpening Stone			"Belgian Rock", 90 x 20 x 8 mm	900

All dimensions are approximate data!

* Material Thickness














Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
CARTONAX- Blade		0.30		45
		0.30	stainless	145
DEKO- Blade		1.00		97
DISPLAY- Blade		0.45		46
EMBAL- textile fabrics blade		0.20		66
FRANKFURTER SKINNER- Blade		0.30	stainless	1703
GALLONEX- Blade		0.20	stainless	726
GRAFICUT- Blade		0.30		70
Hook blade		2.00	large	754
Industrial cutter blade		0.20	with triangular ground edge	692
KALANDER- Blade		0.90		80

All dimensions are approximate data!

* Material Thickness













Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
KANTEX- Blade		1.00	flipping edge trimming blade, single bevel edge-ground 	95
KÜRSCHNER- Blade		0.30	rhomboid-shaped, for furrier's knife	794
Meat cutting blade		1.00	stainless, single bevel edge-ground 	702
MICRO saw blade		0.25	push-cut teeth	91
		0.25	pull-cut teeth	291
PICCOLO- Blade		0.63	triple-edged, double bevel edge finish, 36° angle	746
		0.63	triple-edged, double bevel edge finish, 45° angle	32
PICK- Blade		0.65		793
Plotter blade		1.00	carbide metal	736
Potato crisp cutting blade		0.40	stainless	704
Profi40- Blade		0.50		7940
		0.50	stainless	17940

All dimensions are approximate data!

* Material Thickness





Special Purpose Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Quick-Blade		0.50		39
RASTER-Blade		0.63	screen paper cutter blade	784
		0.63	screen paper cutter blade alloyed carbon steel, TiN-coated	8784
Ripper-hook		Ø 8.0	for MARTOR-Cut-O-Matic No. 438	753
SICUREX-Blade		0.45	single bevel edge-ground 	40
Special artwork blade		0.50		643
		0.50		684
Special purpose blade		0.40	for MARTOR-Sheeting cutter No. 335	693
Special purpose blade		0.63	made of three snap-off segments	770
Special purpose blade		0.40		771
SWIVEL-Blade		0.50	plastic-coated	675
TIP-TOP-Blade		0.50	plastic-coated	676

All dimensions are approximate data!

* Material Thickness

Special Purpose Blades












Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Triangular blade		0.50	small	760
		0.80	large	761
TUNGSTEN carbide scriber			carbide scriber + marking needle	38
ZEPHER-Blade		0.55		694



All dimensions are approximate data!

* Material Thickness












Stainless Steel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
ALLFIT trapezoid blade		0.63	stainless	610
		0.63	stainless, TiN-coated	852
ARGENTAX- Blade		0.25	stainless	144
AUTOSTROP- Blade		0.25	stainless, without edge protector	165
CARTONAX- Blade		0.30	stainless	145
DOPPEL- INJEKTOR- Blade		0.25	stainless	789
EFFILIER- Blade		0.25	stainless	149
FIBERGLASS- Blade		0.25	stainless	1709
FRANKFURTER SKINNER-Blade		0.30	stainless	1703
GALLONEX- Blade		0.20	stainless	726
GLASHOBEL- Blade		0.15	stainless	16412 (164)
Industrial cutter blade		0.10	with 6 notches, stainless	180

All dimensions are approximate data!

* Material Thickness















Stainless Steel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Industrial cutter blade, Gillette-slotted		0.10	stainless, Teflon®-coated, with platinumized cutter edges	13510
		0.15	stainless, TiN-coated	83515
Industrial cutter blade with round ends		0.10	stainless	13610
		0.15	stainless	13615
		0.30	stainless	13630
		0.15	stainless, TiN-coated	83615
		0.30	stainless, TiN-coated	83630
Industrial cutter blade with square ends		0.30	stainless	13730
		0.15	stainless, TiN-coated	83715
		0.30	stainless, TiN-coated	83730
INJEKTOR-Blade		0.25	stainless	189
		0.25	stainless, TiN-coated	889
		0.25	stainless	689
MAXISAFE trapezoid blade		0.63	deep-edged, stainless	199
Meat cutting blade		1.00	stainless, single bevel edge-ground 	702
PELLEX-Deburring Blade			stainless	674
Potato crisp cutting blade		0.40	stainless	704
Profi40-Blade		0.50	stainless	17940

All dimensions are approximate data!

* Material Thickness

Stainless Steel Blades

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.- No.
Rotary Blade		0.30	stainless, single bevel edge-ground, 	716
		0.30	stainless, center hole dia 6 mm (designed for use in original MARTOR cutters only!)	727
Scalpel blade, large		0.40	stainless	18 (18 SC)
		0.40	stainless	20
		0.40	stainless	125
SCHABER- Blade		0.40	scraper blade, stainless	196
		0.50	scraper blade, stainless	696
SICURI- Blade		0.80	stainless	1103
Strip Steel		0.70	stainless, single edged, single bevel edge-ground 	88740
		0.70	stainless, single-edged, double bevel edge-ground	88741
STYROPOR- Blade 18 mm		0.50	stainless	179
TEXTIL- Blade		0.40	stainless	82
UNI- Blade		0.45	deep-edged, stainless	142

All dimensions are approximate data!

* Material Thickness

Strip Steel in special lengths






These special dimensions are always available from stock. Already grinded Strip-Steel on coils. Lengths are subject to inquiry!

Minimum length: 20 mm. Minimum purchase quantity = 10 pcs.

Max. blade length

Alloyed carbon steel max. length 1500 mm.

Stainless steel max. length 600 mm.

Blade designation	Dimension (mm)	Material* (mm)	Specification	Art.-No.
Strip Steel	 min. 20 mm / max. 1500 mm	0.50	alloyed carbon steel, single-edged, double bevel edge-ground	88720
	 min. 20 mm / max. 1500 mm	0.50	alloyed carbon steel, single-edged, double bevel edge-ground	88721
		0.83	alloyed carbon steel, single-edged, double bevel edge-ground	88722
	 min. 20 mm / max. 1500 mm	0.25	alloyed carbon steel, single-edged, double bevel edge-ground	88723
		0.50	alloyed carbon steel, single-edged, double bevel edge-ground	88724
	 min. 20 mm / max. 1500 mm	1.00	alloyed carbon steel, single-edged, double bevel edge-ground	88725
	 min. 20 mm / max. 600 mm	0.70	stainless, single-edged, single bevel edge-ground	88740
0.70		stainless, single-edged, double bevel edge-ground	88741	

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
10 – 17 + 1031	Scalpel	20500, 20711 – 20713, 22111 – 23113, 69111, 69606, 87111, 87606
18 – 25, 36, 1025	Scalpel	20121 – 20125, 20600, 21121 – 21125, 40125, 40128
26	MINI blade set	26426, 27300, 30128, 40125, 40128
27 – 31, 2733, 827	MINI	26426, 27300, 30128, 40125, 40128
32	PICCOLO	32132
33	CUTTOFIX	31133, 31172, 33133, 69111, 69606, 87111, 87606
34 + 834	SIMPEL	488, 501, 513, 514, 850, 34134 – 37334, 69111, 69606, 87111, 87606
38	TUNGSTEN	38138
39	QUICK	25639, 39139
40	SICUREX	40125, 40128, 40140
41	LEWIS	710000
43	ELECTRONIC	31133, 31172, 69111, 69606, 87111, 87606
44 + 60044	ARGENTAX	464, 544, 44144, 46144, 58144
45	CARTONAX	444, 445, 446, 1444, 15045, 15145, 68145, 86145, 100145, 121001
46	DISPLAY	–
48	HOBEL	48548, 49548
50	ALLFIT trapezoid	–
51+ 5132	STANDARD trapezoid	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 14152, 16551, 94551
52, 5232, 5233 + 65232	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552
53	WOLFRAM trapezoid	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 14152, 16551, 94551
54 S	TEKLI super-trapezoid	08152, 08156, 14152
55	STANDARD hook	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 14152, 16551, 94551
56 + 5634	ALLFIT hook	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 51556, 63152, 64256, 64552
57	WOLFRAM hook	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 14152, 16551, 94551
58 S	TEKLI super-trapezoid	08152, 08156, 14152
60	LUNA	02101, 02103, 04152, 04156, 05255, 05551, 07116, 07152, 07156, 07216, 07252, 07256, 08152, 08156, 14152, 94551
61	Super-trapezoid	334, 02101, 02103, 05255, 05551, 08152, 08156, 14152, 16551, 94551
62	DURO	05255, 05551, 94551
63	Super-hook	02101, 02103, 05255, 05551, 08152, 08156, 14152, 16551, 94551
67	KÜRSCHNER	360
70	GRAFICUT	70170
71	TECHNICUT	71171
72 + 73	BOY	31133, 31172, 33133, 69111, 69606, 87111, 87606
76	CUTTER 9 mm	461, 476, 486, 46100, 46102, 66176, 66186, 76176, 76186
77	CUTTER 18 mm	332, 462, 477, 479, 46200, 46202, 67177, 67194, 77177, 77179, 107177
78 + 878	FIX	578, 599, 5990, 59278, 78278
79	STYROPOR 18 mm	331, 332, 462, 477, 479, 46200, 46202, 50779, 67177 – 67194, 77177, 77179, 107177
80	KALANDER	–
81	Y-Blade	594
82	TEXTIL	–
83, 84 + 8432	TRIMMEX	583
86	STYROPOR 9 mm	461, 476, 486, 46100, 46102, 66176, 66186, 76176
87	SCHAUMEX	92687

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
88	KARTON	–
89	INJEKTOR	–
90	Saw blade set	10101 – 11500
91	MICRO-saw blade (push-cut teeth)	28191
95	KANTEX	595
96	SCHABER	596, 5196
97	DEKO	597
98	MAXISAFE hook	101100 – 101999, 116001, 116002, 116004, 118001, 118002, 118004, 120001
99 + 199	MAXISAFE trapezoid	101100 – 101999, 116001, 116002, 116004, 118001, 118002, 118004, 120001
101 – 119 + 1103	SICURI	101001 – 10500, 11101 – 11500, 94551
119	ACRYL	101001 – 10500, 11101 – 11500, 94551
125	Scalpel	20121 – 20125, 20600, 21121 – 21125, 40125, 40128
142	UNI	52642, 105142, 105242
144	ARGENTAX	544, 44144, 46144, 58144
145	CARTONAX	444, 445, 446, 1444, 15045, 15145, 68145, 86145, 100145, 100745, 121001
150 – 161	ROBUST	06150 – 06161
170 + 171	CERAMIC	170170 + 170171
179	STYROPOR	331, 332, 477, 479, 46200, 46202, 50779, 67177, 67179, 67194, 107177
196	SCHABER	596, 5196
199	MAXISAFE trapezoid	101100 – 101999, 116001, 116002, 116004, 118001, 118002, 118004, 120001
284	TRIMMEX	583
291	MICRO saw blade (pull-cut teeth)	28191
601 – 604 + 6604	FORTEX	507, 40125, 40128
605 + 8605	SIMPLEX	501, 511, 512, 850, 36134, 69606, 69111, 87111, 87606, 111605
606 + 8606	SIMPLEX	501, 511, 512, 850, 36134, 69606, 69111, 87111, 87606, 111605, 112606
607	SOLO	–
608	STUDIO	504, 590
609	MEGASAFE	116003, 118003
610	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 19700, 24152, 24156, 56610, 63152, 64256, 64552
611	STRIPEX	373
612 + 614	TEPIX	–
615	Keyhole-Saw	502, 40125, 40128
616	BOY saw blade	31133, 31172, 33133, 69111, 69606, 87111, 87606
618 – 625	RONDEX-MASSIV	502, 505, 506, 515 – 517, 5060, 40125, 40128
626	RONDEX-MASSIV	502, 505, 506, 515 – 517, 5060
628	RONDEX-MASSIV	502, 505, 506, 515 – 517, 5060, 40125, 40128
629 + 8629	SIMPEL	501, 513, 514, 850, 34134 - 36134, 69111, 69606, 87111, 87606
635 – 638	SOLO	–
639 – 642	SOLO	40125, 40128, 117001
643	Special artwork	69111, 69606, 87111, 87606
670 – 673	GRAFIX	412, 501, 804 – 850
674	PELLEX	412, 501, 804 – 850, 32132
675	SWIVEL	508
676	TIP-TOP	490
677 – 683	GRAFIX	412, 501, 804 – 850, 69111, 69606, 87111, 87606
684	Special artwork	–
689	INJEKTOR	–
692	Industrial	–
693	Special	335
694	ZEPHER	336

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
696	SCHABER	596, 5196
697 – 699	RONDEX drawcut	505, 506, 515 – 517, 5060
709 – 712	FIBERGLASS	–
716	Rotary	467
725	Rotary	481, 482, 509, 599
726	GALLONEX	–
727	Rotary	467, 599
736	Plotter	–
740	EINNUT	–
743	Razor Blade	–
746	PICCOLO	32132
752	Trapezoid	–
753 + 754	Cut-O-Matic	438
756	CURVEX	510, 40797, 171797
760	Triangular	481, 482
761	Triangular	–
763 – 769	Teeth-edged	–
770 – 772	Special	–
773 + 774	Teeth-edged	–
776	CUTTER 9 mm	460
777	Teeth-edged	–
779	STYROPOR	–
784 + 8784	RASTER	32132
789	DOPPEL-INJEKTOR	–
791	CURVEX	510, 69791, 87791
793	PICK	–
794	KÜRSCHNER	–
795 + 796	CURVEX	510, 69791, 87791
797 – 799	CURVEX	510, 40797, 171797
827	MINI	26426, 27300, 30128, 40125, 40128
834	SIMPEL	488, 501, 513, 514, 850, 34134 – 37334, 69111, 69606, 87111, 87606
852, 8852, 85233	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552
869	CELLO	–
878	FIX	578, 599, 5990, 59278, 78278
889	INJEKTOR	–
1025	Scalpel	20121 – 20125, 20600, 21121 – 21125, 40125, 40128
1031	Scalpel	20500, 20711 – 20713, 22111-23113, 69111, 69606, 87111, 87606
1044	ARGENTAX	–
1103	SICURI	10101 – 10500, 11101 – 11500, 94551
1703	FRANKFURTER SKINNER	–
1709	FIBERGLASS	–
2733	MINI	26426, 27300, 30128, 40125, 40128
5132	STANDARD trapezoid	02101, 02103, 05255, 05551, 08152 – 11500, 13500, 14152, 16551, 94551
5232, 5233, 85233	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552
5634	ALLFIT hook	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552
6132	Super-trapezoid	334, 02101, 02103, 05255, 05551, 08152, 08156, 14152, 16551, 94551
6604	FORTEX	507, 40125, 40128
7940 + 17940	PROFI40	331, 67179, 119001
8432	TRIMMEX	583

Blade – Knife cross reference

Blade-No.	Designation	Suitable for use with Knife No.
8605	SIMPLEX	501, 511, 512, 850, 36134, 69606, 69111, 87111, 87606, 111605
8606	SIMPLEX	501, 511, 512, 850, 36134, 69606, 69111, 87111, 87606, 111605, 112606
8629	SIMPEL	501, 513, 514, 850, 34134 – 36134, 69111, 69606, 87111, 87606
8784	RASTER	32132
8852	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552
13510	Industrial	60135, 61135, 97635, 98035, 98135, 109135, 109437
13610	Industrial	–
13615	Industrial	43136
13630	Industrial	–
13730	Industrial	539, 55037, 55137, 55337, 109037, 109137, 109737, 109777
16412	GLASHOBEL	–
17940	PROFI40	331, 67179, 119001
35010	Industrial	60135, 61135, 97635, 98035, 98135
35020 + 35030	Industrial	–
36010 – 36015	Industrial	–
36020	Industrial	43136
36030	Industrial	–
36040	Industrial	95641
37010	Industrial	109135, 109437
37020	Industrial	591, 592, 43037, 45137, 47137, 113137, 115137
37030	Industrial	–
37040	Industrial	435, 436, 437, 538, 539, 55037, 55137, 55337, 109037, 109137
42045	UNI	52642, 57542, 99642, 105142, 105242
42063	UNI	105142, 105242
47020	MARTELL	47137
47040	MARTELL	–
54045	TEKLI trapezoid	554, 555, 08152, 08156, 14152, 17000, 18354
54065	TEKLI trapezoid	08152, 08156, 13500, 14152, 19152, 19156
58050	TEKLI trapezoid	554, 555, 08152, 08156, 14152, 17000, 18354
58065	TEKLI trapezoid	08152, 08156, 13500, 14152, 17000, 19152, 19156, 51556
60044	ARGENTAX	464, 544, 44144, 46144, 58144
60099	MAXISAFE trapezoid	101100 – 101999, 116001, 116002, 116004, 118001, 118002, 118004, 120001
61329	Super-trapezoid	203, 02102, 02104, 16551, 94551
64044 – 64150	GLASHOBEL	–
65232	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552
68010 + 68020	Industrial	–
69040 + 69200	CELLO	–
83515	Industrial	98135
83615 + 83630	Industrial	43136
83715	Industrial	43037, 45137, 109437
83730	Industrial	435 – 437, 538, 539, 43037, 45137, 55137, 109137
85233	ALLFIT trapezoid	01152 – 02101, 02103, 03552 – 05551, 06952 – 08156, 09255 – 09651, 10101 – 13500, 14152, 16551, 19152, 19156, 24152, 24156, 63152, 64256, 64552



MARTOR[®]
Solingen

The Safer Cutting Specialists

For mere information kontakt:
EURO SERVICE APS
Højmarken 18 - 5492 Vissenbjerg
Tel. +45 6313 0707
Email es@euro-service.dk
www.euro-service.dk